MONTHLY WEATHER MAP

METEOROLOGICAL SERVICE, DOMINION OF CANADA

JULY 1930

TEMPERATURE

July was six to eight degrees cooler than a normal July in the region of southern Baffinland and the Hudson strait. Masses of cool air from this north-eastern cool front moved sluggishly down into Ontario, Quebec and the Atlantic Provinces at intervals during the month and also made occasional excursions to the west into the region just north and east of the western grain territory. Cool air moved at intervals down the north Pacific coast but little or no movement occurred in the Mackenzie valley from the north-west.

On the coast of British Columbia mean temperatures were a little below normal; in the interior one to three degrees above normal. In the grain regions of the west mean temperatures were two degrees above normal in some districts and six to eight degrees above in others. In the far north-west from the Yukon to the western coast of Hudson Bay, southward to the west shore of Lake Superior, the month was one to three degrees warmer than normally. In north-eastern and eastern Ontario, in Quebec and northern New Brunswick, the month was cooler than normally, by one to four degrees, except in the far north of Quebec where the deficiency was four to eight degrees.

In south-western Ontario and the southern Atlantic Provinces the month was one or two degrees above normal temperature.

PRECIPITATION

On the southern margin of the north-east cool front, frequent rainfalls occurred during July, totalling four to eight inches in the wettest districts of northern Ontario and Quebec and parts of the Atlantic Provinces. The occasional excursions of cool air into the north-west were followed by good rains in parts of Manitoba, and northern sections of the wheat region of Alberta and Saskatchewan totalling two to six inches. In the far north-west and north-east two to three times the usual rainfall occurred. In the southern portions of the grain region, south-western Ontario and in British Columbia (except the north Pacific coast) very little rain fell.

BRITISH COLUMBIA

The month was wet in the far north, but extremely dry in the south where only five to fifteen per cent of the normal rainfall for July was recorded, except in the east Kootenay and the upper Columbia valleys where forty-five to fifty-five per cent of the normal rainfall occurred.

Except on the coast the month was generally one to three degrees warmer than a normal July. Owing to good rains in June crops on Vancouver island are generally good. In the Okanagan valley crops are good although irrigation water is becoming scarce. Forest fires have occurred at numerous points on Vancouver island and in the southern interior as far east as the Kootenays.

ALBERTA, SASKATCHEWAN and MANITOBA

July was generally quite warm in the western grain region, especially in the southern districts of Saskatchewan and Alberta where maxima exceeded 90° on 10 days or less while a few points recorded 98° to 104° on the eighth, fifteenth, and twenty-fifth. Comparatively cool days occurred about the fourth, twelfth, twentieth, and twenty-ninth. Some districts averaged four to eight degrees warmer than in a normal July and others only two to four degrees above normal. Good to heavy rains occurred in parts of Alberta, principally south and east of Edmonton, and moderate rains from Calgary south but not much rain occurred in the south-west. In Saskatchewan fairly good rains occurred south of Battleford and in parts of the east but rainfall was very light in the south for the most part. In Manitoba rains were good to heavy south of the Great Lakes of Manitoba except locally.

Comparisons of the total rainfall for June and July last year and this year are appended.

	Alberta				Saskatchewan				Manitoba
	N.E.	N.W.	S.E.	S.W.	N.E.	N.W.	S.E.	S.W.	
June and July 1929	1.80	3.60	2.00	3.40	2.90	3.65	1.60	2.70	2.15
June and July 1930	5.60	4.25	3.90	4.20	5.00	6.90	4.50	4.00	6.25

The total rainfall for June and July in an average year runs from four to seven inches according to district. Generally therefore, this summer, northern parts of Alberta, northern Saskatchewan and Manitoba were above normal in rainfall and southern districts generally below.

ONTARIO

In extreme south-western Ontario, and in the far north-west the month was one or two degrees warmer than usual, with only a few days in southern Ontario reaching 95° to 100° Fahr. In north-eastern and eastern Ontario the month was one to four degrees cooler than a normal July although a few hot days occurred. Very wet weather continued in the far north, except the Lake of the Woods region, but in the south-west rainfall was very light.

Deficiencies in the south-west ranged from ten to eighty per cent of the normal amount. A region south and a little west of the lower Ottawa into Haliburton and Peterborough counties was also rather dry with deficiency of about forty-five per cent.

Along the lower Ottawa and the upper St. Lawrence there were excesses of thirty to eighty per cent. In the far north rainfalls varied from normal to forty per cent in excess.

QUEBEC

Along the St. Lawrence and to the south of the river mean temperatures were one or two degrees below normal while in the Gulf region they were a little in excess of normal. In the northern hill and plateau country, July was two to four degrees cooler than usual.

Rainfall was generally twenty to eighty per cent in excess of normal except in the Gulf and North Shore region where there were deficiencies of fifteen to fifty per cent.

ATLANTIC PROVINCES

In Nova Scotia, Prince Edward Island and southern New Brunswick temperatures averaged one to three degrees above normal, while in northern New Brunswick they were generally one to three degrees below normal. Heavy rains during the first two weeks of July relieved the droughty conditions prevailing at the end of June. In New Brunswick rainfall was generally forty to sixty per cent in excess of normal. In the Annapolis valley rainfall varied from ten per cent below normal to twenty per cent above normal. In south-western Nova Scotia and in the immediate vicinity of the Minas Basin the excesses ranged from thirty-five to more than one hundred per cent. In Cape Breton Island and Prince Edward Island there were deficiencies of less than five to more than fifteen per cent.

The latter part of the month was very dry with rain badly needed again.

HUDSON STRAIT

July was very cool, mean temperatures averaging six to eight degrees below normal. On the western coast of Hudson Bay the month was two degrees or more warmer than normal.

SPECIAL REPORTS

NOTE—Column H is Highest Temperature; Column L is Lowest Temperature; Column P is Precipitation in inches; Column I denotes total of bright sunshine in hours during the month.

BRITISH COLUMBIA

STATION	H	L	P	I	STATION	H	L	P	I	STATION	H	L	P	I
Victoria	87°	48°	0.0	364	New Westminster	88°	49°	0.2		Cranbrook	91°	29°	0.9	
Goldstream Lake	...	...	0.2		Chilliwack	93°	42°	0.1		Golden	98°	40°	0.7	
Sooke	89°	39°	0.3		Agassiz	94°	44°	0.1	239	Field	87°	36°	1.4	
Alberni	89°	37°	0.8		White Rock	87°	46°	0.1		Glacier	85°	32°	1.1	
Duncan	90°	39°	0.1		Salmon Arm	100°	43°	0.2	347	Kamloops	...	...	...	365
Nanaimo	84°	47°	0.1	325	Vernon	97°	42°	0.1		Prince Rupert	74°	44°	5.4	
Courtenay	...	...	0.7		Creston	96°	38°	1.0		Prince George	93°	30°	1.4	
Vancouver	86°	47°	0.1	321										

ALBERTA

STATION	H	L	P	I	SPECIAL REPORTS
Grande Prairie	88°	36°	1.2	352	
Edmonton	93°	...	1.9	327	Some damage by hail during second week. All areas in this vicinity report wonderful recovery of crops following rains middle of the month. Wheat and oats average 42 inches high with well-filled heads and prospects of a bumper crop. Cutting expected to be general before the middle of August.
Ranfurly	86°	42°	4.6		
Athabasca	91°	30°	4.6		
Radway	90°	36°	2.5		Some damage by hail.
Berwyn	90°	35°	0.3		
Grouard	85°	35°	1.1		
Peace Riv. Crossing	98°	43°	0.2		Very dry month with some damage from hail.
Slave Lake	86°	44°	1.0		
Stettler	96°	37°	4.4		Heavy hail damage.
Hanna	91°	42°	2.5		Some damage by hail.
Hillsdown	95°	40°	2.1		
Strathmore	92°	40°	1.9		
Viking	92°	43°	5.5		
Wetaskiwin	93°	40°	4.6		
Sedgewick	96°	42°	4.2		Some damage by hail.
Perbeck	100°	38°	2.2		
Wabamun	...	...	2.5		
Holden	95°	41°	2.6		
Lacombe	97°	38°	3.7		
Harmattan	90°	48°	1.7		Some hail damage.
Mountain View	...	...	2.5		Good growing weather.
Metiskow	88°	30°	2.5		
Entrance	94°	35°	2.0		
Coalspur	86°	29°	2.9		
Exshaw	89°	39°	1.0		
Alsask	95°	43°	1.7		
Claresholm	98°	38°	2.9		
Naco	97°	40°	1.8		
Jenner	91°	36°	0.5		Very dry month.
Raymond	99°	39°	1.8		
Macleod	100°	39°	1.9		
Ponoka	...	...	1.7		
Oyen	...	...	1.8		
Winnifred	...	...	1.8		
Craigmyle	...	...	2.4		Heavy hail.
Seven Persons	...	...	1.4		No good crops in this vicinity. Many total loss; harvesting end of July.
Maycroft	...	...	2.1		
Pincher Creek	92°	37°	2.9		
Cowley	...	...	2.1		Crops revived after heavy rains.
Hill Spring	...	...	3.0		
Pemukan	...	...	2.5		
Lougheed	...	...	5.2		
Lake Louise	86°	27°	1.1		
Lethbridge	94°	41°	1.9		
Vulcan	...	...	1.6		
Coleman	...	...	2.1		
Cardston	95°	37°	4.0		
Medicine Hat	102°	42°	1.2	359	First wheat marketed on July 29th, grade 1, yield 15 bushels per acre.
Calgary	94°	39°	2.5	352	

SASKATCHEWAN

Battleford	92°	46°	2.8		Wheat cutting about the middle of August, good average crop, 5% loss by hail.
Prince Albert	89°	...	1.8		Crops in excellent condition with prospect for a big yield. Hail damage slight. Expect to cut wheat in second week of August.
Qu'Appelle	98°	42°	0.9	315	
Moose Jaw	100°	43°	1.2	333	Crop estimated 30% of average. Late rains would help seed crops and late wheat.
Waseca	88°	41°	2.8		Soil moist and crop very good. Heavy growth of straw with heads filling slowly.
Rosetown	94°	42°	3.3		Soil moist. All wheat in dough stage except re-sown crops. Some damage from sawfly.
Cadillac	102°	41°	0.9		Soil dry, crops drying up fast. Rye and wheat are being cut, mostly for feed. Yield of wheat hereabouts expected to be about 2 bushels per acre.
Chaplin	97°	46°	0.6		Soil very dry and crop very light.
Gravelbourg	99°	40°	0.7		Soil dry and crop very poor.
Assiniboia	99°	42°	0.7		Soil dry. Crop poor from drought and hot winds. Yield about the same as last year.
Whitewood	95°	40°	3.2		More moisture needed. Wheat in milk stage last week of July. Crop very fair with some rust.
Grenfell	102°	43°	2.2		Soil dry. Cutting rye in places. Wheat progressing with 30% damage by insects and rust.
Yellow Grass	99°	41°	2.5		Serious damage by hail.
Swift Current	96°	43°	0.6	340	Rye harvest general last week of July Wheat in immediate vicinity of Swift Current is an average crop but to the south and east is almost a total failure.
Muenster	95°	34°	2.1		Crop condition is good except for some local hail damage.
Dundurn	96°	43°	1.8		Soil rather dry but crops fair. Average yield expected.
Quill Lake	91°	39°	1.9		Conditions extra good, splendid yield expected.
Francis	100°	37°	0.8		Crops suffering from drought locally but sufficient rain has fallen 20 miles to the north and 10 miles to the south.
Carlyle	98°	38°	4.6		Wheat is a fair crop but rusted. Oats and flax are good, barley poor, rye 50% of average. All grains are somewhat backward.
Scott	89°	41°	2.5	331	

MANITOBA

STATION	H	L	P	I	SPECIAL REPORTS
Winnipeg	94°	51°	4.4	343	
Minnedosa	89°	42°	2.3		Crops good, some rust. Haying general on 21st, fair crop.
Graysville	92°	47°	2.3		
Birtle	92°	42°	4.7		Wheat rapidly advancing, now colouring and will mature a week earlier than last year. Considerable rust on leaf and stalk. Will be a good average crop.
Treesbank	101°	44°	2.6		Some damage by wind and hail on the 8th. Started cutting fall rye on the 27th. A small quantity of wheat ready to cut. Wheat ripening rapidly. Some rust damage.
Treherne	96°	44°	2.8		Considerable black stem rust, exact extent of damage not yet known. Grain a heavy crop. Expect to start wheat harvesting about August 10th.
Morden	90°	50°	1.3		Harvest starting. Crops good. Scattered losses by hail.
Oak Bank	90°	45°	3.2		Wheat and grain generally well advanced. Other crops generally in fine condition. No damage from rust or hail.
Morris	92°	55°	1.5		Crops are rapidly maturing owing to excessive heat. Considerable red rust.
Brandon	93°	44°	4.9	314	July had successive humid heat waves. Violent storm with hail on the 7th. Grain ripening fast. Good hay crop,
Hamiota	91°	44°	5.7		
Pinawa	91°	42°	2.1		
Pierson	98°	42°	1.3		
Russell	90°	40°	1.3		
Virden	94°	40°	3.4		
Dauphin	98°	48°	2.2		
Emerson	95°	50°	2.9		
Le Pas	88°	45°	3.8		

ONTARIO

Kenora	89°	46°	3.0		
Quorn	91°	38°	2.2		
Port Arthur	87°	46°	3.6		Crops looking well. All vegetation in excellent condition.
White River	94°	29°	1.7		
Elsas	89°	46°	3.5		
Peterbell	91°	30°	3.5		
Schreiber	82°	42°	1.8		
Biscotasing	87°	32°	2.5		
Chapleau	96°	33°	2.4		
Kapuskasing	89°	35°	3.1		
Cochrane	88°	36°	1.7		
Ruel	92°	28°	3.5		Vegetation very green.
Haileybury	86°	40°	3.8		Rank growth of vegetation. Crops poor, too much moisture in ground.
Parry Sound	88°	46°	2.2		Market gardens well advanced. Potatoes, beans, peas, beets good crops. Raspberries scarce, blueberries plentiful, currants poor. Haying in full swing and a good crop. Apples good but late.
Scotia Junction	83°	44°	2.0		Hay crop late and poor. Grain crop good. Potatoes and roots are good.
Beatrice	87°	38°	2.2		
Algonquin Park	87°	40°	1.5		
Walker's Point	87°	40°	2.6	283	
Washago	...		4.9		Hay crop light, grain good.
Barrie	90°	46°	3.9		First half of month cool and wet, latter half warm and dry.
Beeton	96°	36°	1.0		Crops fine. Roots and pasture in need of rain. Spring crop nearly all cut.
Walkerton	95°	40°	3.5		Crops made good growth during July. Harvest in full swing and all grain promises well. Rain needed for corn and roots,
Alton	93°	40°	2.5		Crops are good but badly in need of rain.
Mount Forest	91°	38°	1.2		All crops, especially oats and fall wheat, are exceptionally good. Some oats, wheat, and barley cut. Root crop good, apples fair.
Stratford	93°	42°	0.9		A very dry month. Hay all cut, a good crop.
Brucefield	94°	38°	1.1		A very hot, dry month. Fall wheat a good crop and mostly all harvested.
Lucknow	92°	40°	2.2		Wheat a fair crop and is all cut. Oats ripening rapidly. Spring grains a good crop.
Goderich	90°	43°	1.1		
Woodstock	91°	41°	0.4	341	July was a very dry month, pastures and lawns dried up. Hay cut and stored in good condition. Wheat cutting on 29th.
Paris	97°	44°	1.0		Harvest apples are ripe.
Simcoe	94°	40°	1.0		Pastures, shrubbery, and corn parched. Raspberry crop and apples suffering from drought which at present is critical. Fall wheat and rye cut, oat cutting in progress. Apples will be a short crop.
Harrow	99°	43°	0.6	356	
London	97°	40°	0.6		Crops in poor condition owing to the severe drought of the last three weeks.
Toronto	92°	50°	3.1	326	
St. Catharines	95°	44°	1.9	298	
Belleville	92°	46°	3.0	295	
Bloomfield	90°	42°	2.4		
Kingston	83°	50°	5.0	293	Heavy hay crop not all cut yet. All other crops in good condition. Roots and pastures good.
Peterboro'	89°	45°	2.6		Hay a little short, all other crops promise abundant yields.
Queensboro'	85°	39°	2.7		Hay and all grain crops very good. Root crops growing well but badly in need of rain.
Brockville	85°	46°	3.6		Haying about finished, an average crop, well saved. Harvesting has started, crops in fields look well. Corn poor.
Morrisburg	87°	40°	4.7		Wheat harvesting on the 21st.
Ottawa	92°	44°	4.9		
Ottawa (Exp. Farm)	89°	41°	4.4		Hay harvest completed. Grain crops ripening nicely. Some spring-sown barley already cut.
Renfrew	82°	42°	3.6		Very heavy crop of hay this year. Abundance of rain keeps it very green making it difficult to dry and harvest.
Pembroke	89°	41°	3.9		Crops are excellent and harvesting has begun.
Clontarf	90°	39°	1.8		
Bancroft	87°	37°	1.6		

Port Nelson
Moose Fort
Albany R.
Lake Superior
Houghton
Marquette
Sault Ste. Marie
Escanaba
Alpena
Green Bay
Ludington
Saginaw
Port Huron
Grand Haven
Grand Rapids
Detroit
Milwaukee
Madison
Chicago
Toledo
Cleveland
Ft. Wayne
La Salle
Lake Michigan
Buffalo
Oswego
Syracuse
Albany
Canton
Binghampton
Scranton
Pittsburg
Harrisburg
Philadelphia
New York
New Haven
Block I.
Nantucket
Boston
Concord
Portland
Northfield
+4°
+2°
-2°
-4°
90°
85°
80°
75°
70°
65°
60°
50°
45°
40°


CE, DOMINION OF CANADA.
R MAP
1930
from normal mean temperature; also total precipitation
month.
Ellesmere Island
Ponds Inlet
Godhaven
Angmagssalik
Godthaab
Julianehaab
Burwell
90°
85°
80°
75°
70°
65°
60°
55°
50°
45°
40°
35°
-2°
-4°
-6°
-8°
+2°
+4°
45
46
36
2·5
39
5·3
55
8·2
60°
55°

REFERENCES.
The upper Figures give the mean Temperature.
The lower Figures give the precipitation in inches.
The Black lines shew the difference from the normal mean Temperature.
The shading shews approximately the precipitation of the month.
Less than 1 inch.
Less than 2 inches.
Less than 3 inches.
Less than 4 inches.
More than 4 inches
50°
45°
40°
120°
115°
110°
105°
100°
95°
Tofino
Bella Coola
Prince George
Athabasca
Esteven
Fraser
Kamloops
Vancouver
Banff
Norway House
Saskatoon
Nelson
Columbia
Seattle
Tacoma
Spokane
North Head
North Yakima
Portland
Wallace
Kalispell
Lewiston
Walla Walla
Havre
Missoula
Helena
Williston
Devils Lake
Miles City
Bismarck
Moorhead
Yellowstone Park
Billings
Ellendale
Sheridan
Pocatello
Rapid City
Pierre
Huron
St. Paul
Lander
Valentine
Charles City
Sioux City
Salt Lake City
Cheyenne
North Platte
Omaha
+2°
+4°
+6°

METEOROLOGICAL SERV
WEATH
JU
Chart shewing the mean temperature and the differen
of t
150°
145°
140°
130°
125°
120°
115°
110°
105°
100°
60°
55°
Herschell I.
Fort Yukon
Eagle
Aklavik
McPherson
Dawson
Good Hope
Cambridge Bay
Mayo
River
Peace River
Slide
58
2.1
60
0.3
61
0.6
60
-1
56
3.7
55
5.6
63
3.2
62
3.4
56
3.1
+2°
-2°
+
-

QUEBEC

STATION	H	L	P	I	SPECIAL REPORTS
Cedars	85°	45°	3.9		Hay cutting started on the 16th, fair crop.
Macdonald College	88°	50°	5.5		The month has been exceptionally wet. Raspberry picking began on the 11th. First apples picked on the 28th.
Montréal	90°	54°	5.6	240	
Farnham	88°	40°	4.1		Haying under favourable conditions. Grain ripening nicely. Tobacco affected by rain.
Brome	85°	42°	5.1		Hay a good crop. Oats on low lands poor. Garden stuff good.
Lennoxville	87°	42°	3.5		There have been frequent showers through the month and crops are looking well. The hay crop is about half harvested.
Sherbrooke	87°	46°	2.8	268	Haying is almost finished. Small fruits nearly all picked but the crop is not very good.
Nicolet	89°	28°	2 6		Most of the farmers have finished haying and are preparing to harvest the grain with good prospects.
Sorel	85°	47°	3.3		The hay harvest has been very good. Vegetable crops are a little late on account of heavy rain. Hail on the 19th damaged grain and fruits.
St. Gabriel de Brandon	90°	38°	5.0		The frequent and heavy rains have delayed haying. Much hay will be lost.
Joliette	86°	43°	3.6		Haying began on the 9th, now largely completed with a good yield. Hail has done considerable damage to oats and wheat. Several farmers have suffered great loss.
Beauceville	87°	44°	3.6		Haying nearly finished. Grain not very good. Potatoes, fruits, and vegetables in fine condition.
Donnacona	85°	45°	3.9		Small fruits and vegetables plentiful and a little cheaper than last year. Potatoes in good condition.
Québec	83°	47°	4.7	246	Rain on 14 days was 0·67 inch above average. Thunderstorms on 9 days. Hay has been good but frequent showers have delayed harvesting. Cereals good, roots good, pastures excellent.
Cap Rouge	83°	44°	2.7	201	Oats very good on dry land. Hay and garden crops very good.
Armagh	86°	51°	2.4		
Ste. Anne de la Pocatiére	85°	38°	5.8	258	Clover and timothy hay heavy crop but harvested during unfavourable weather. Grain, potatoes and roots are doing well with good prospects.
Bicquet	...	...	...		Haying began on 15th, abundant harvest. Wheat and oats backward on account of heavy rains. Potatoes in fine condition.
Chicoutimi	84°	40°	5.8		Hay crop is especially good in this district but grains are suffering from too much rain. Blueberries abundant.
Dolbeau	80°	37°	5.6		
Roberval	88°	57°	3.7		The frequent rains have done considerable damage to the crops. Blueberry harvest July 15th.
Sanmaur	81°	30°	5.3		Growth good. Small fruits best in many years.
Huberdeau	88°	43°	4.9		The frequent rains have seriously delayed the harvesting of hay.
Maniwaki	92°	64°	3.8		Garden crops are good, hay only fair. Small fruits ripe on 16th.
Mont Laurier	85°	44°	2.2		
La Ferme	81°	38°	3.5	214	
Abitibi	88°	42°	1.5		Month generally dry and crops have not done well. Oats and potatoes will be light. Hay harvest began on the 26th and will be an average crop. Pastures are getting short on account of dry weather.
St. Joachim	85°	47°	5.9		
Albanel	81°	39°	5.8	225	Hay has been a fairly heavy crop but harvested under difficulties on account of frequent rains.
Drummondville	86°	46°	5.1		New vegetables harvested last week in July.
Lake Mégantic	82°	42°	3.7		Haying began on July 20th. Garden stuff began to be harvested at the end of the month. All vegetation in very good condition.

ATLANTIC PROVINCES

St. John	81°	51°	5.3	197	Vegetation suffering from lack of moisture. Wells low.
Aroostook	89°	45°	5.0		St. John River much above average height for July. Most of hay crop harvested. Grain and potatoes look well.
Bathurst	88°	40°	5.8		
Chatham	82°	45°	5.8		Haying well advanced, good crop. Grain and root crop promise well.
Fredericton	84°	46°	3.8	230	Good growing month, 3.69 inches of rain fell during the first fortnight. Balance of month good hay-making weather.
Fredericton (Experimental Farm)	88°	45°	4.3	230	Grain beginning to turn, prospect of good crop. Roots, corn, vegetables, and potatoes well advanced and promise a better than average crop. Most varieties of apples have good set of fruit. Pastures good for this season of the year.
Gagetown	86°	48°	3.0		The hail-storm of the 25th did much damage to orchards, gardens, and all growing crops which up to that date were looking very well.
Grand Falls	80°	39°	6.7		Very heavy hay crop.
Harvey	87°	46°	4.1		Vegetation and crops very good.
Musquash	81°	41°	6.0		Vegetation good.
McAdam	84°	45°	4.5		Month generally was hot.
Rexton	83°	50°	3.6		
Sussex	85°	45°	3.9		Crops looking well.
Woodstock	89°	42°	2.6		
Annapolis Royal	81°	49°	3.2	217	
Digby	80°	48°	3.5		Weather has been exceptionally fine and warm with very little rain. Vegetation suffering from lack of moisture.
Kentville	88°	41°	3.7	224	Very little rain fell since the 15th and crops are suffering. Cereals ripening rapidly with prospect of poor crop. Hay was a light crop. Roots need rain. Corn good.
Liverpool	83°	39°	8.5		Cultivated strawberries were scarce and of inferior quality. Hay below average in quality and quantity. Garden crops fair.
Nappan	83°	46°	3.4	238	Hay cut during first part of month stored in poor condition but weather of last two weeks has been excellent for hay making. Upland cutting 80% of average crop. Grains ripening very rapidly. Pastures drying up. Rain badly needed.
Sydney	85°	50°	3.4		Crops good.
Truro	85°	46°	5.4		
Upper Stewiacke	85°	40°	5.1		All crops looking well. Hay better than last year.
Wolfville	87°	49°	3.5	247	
Yarmouth	76°	48°	6.6		Rain was too late to be of value to hay or strawberry crop. It has been beneficial to all other crops and late small fruits, especially blueberries.
Charlottetown	82°	54°	2.4		Haying well advanced, light crop.
Charlottetown (Experimental Farm)	83°	52°	3.1	257	Beneficial rains greatly improved crop conditions during first half of July. Latter half dry and favorable for hay-making. Hay and cereal crops about average but ripening early. Corn, potatoes, fruit, vegetables about average. Pastures dry.